

orkanda

Home Lift

CIRCULAR ROAD
CITY R.P.
CLOVELLY
COOCEE BEACH
NEW YORK CITY
COLLING ST WEST
DARLING POINT
DEHAVAN ST BOND
DOLLS POINT
DOUBLE BAY
DOVER HEIGHTS
CENTRAL STATION
ELIZABETH BAY
ERSONVILLE
EXPRESS
PIERS STREET
FLOWER AND SUN ST
FALLON STREET
GARDEN ISLAND
LIBERTY CITY
HIGH SPEED AVE
HIGH ST JACKSON

ORKA 150

Catalogue Product

A photograph of the Orka 150 Open Platform Lift installed in a modern building. The lift is a compact, open-frame structure with a platform and handrails, positioned in a glass-enclosed area. To the left of the lift is a large, dark grey planter with a spherical topiary bush. The background shows a grey wall and a glass door. The text 'ORKA 150' is overlaid in large white letters on the left side of the image.

ORKA 150

Open platform lift

Orka 150 is Open Platform Lift, also known as Wheelchair Lift, which provides internal or external vertical travel up to 3 meters.

Our Open Platform Lift can accommodate changes in level from 600 mm up to 3000 mm in commercial and domestic environments and is appropriate alternative solution to a fully enclosed platform lift.

Orka 150 is specifically designed for applications with little or no alterations to existing buildings.

The open type design offers an aesthetically pleasing solution with brushed stainless steel finish as option. The lift provides a safe and easy way to gain access to a property where stairs would otherwise prevent wheelchair access.

It is designed to give customers choice and flexibility. Orka 150 Open Lift is a space saving and cost effective way to provide access for everyone to your home or workplace.




All our lifts are supplied with a 24-months warranty as standard, and we offer a range of maintenance and service options, which can be tailored to suit your specific requirements.

Features

- Modern lightweight design
- Stainless steel construction as option
- Low space requirements
- High level of security
- Silent operation
- Simple to use
- No pit required
- Simple to install and easy to service
- overall low maintenance and running costs

Specifications

User group	Ambulant and wheelchair users
Suitability	For internal or external use
Travel	Up to 4 metres
Number of stops	2
Maximum capacity	400 kg
Platform size	1100 x 1400 mm (standard)
External dimensions	1300 x 1770 mm (standard)
Gate	950 x 1100 mm (standard) with auto closers
Cabin height	1100 mm
Drive type	Belt
Power	220-240 V, 1 phase, 16A 380-400 V, 3 phase, 10A, 50 Hz
Lighting	Controls illuminated
Safety edge	Safety edge-under platform proximity sensors
Handrail	Integrated to lift cabin (on both sides)
Machine room	Integral to guide rails
Floor	Anti slip rubber (Anti slip diamond plate for outdoor version)
Finish	RAL 9006 (White aluminium)



Options

PLATFORM

900 x 1400 mm
1000 x 1400 mm

GATE

Automatic upper gate
Automatic lower gate

CONTROL

Configurable control side
Dual control on the platform
Auto dialer on the platform
Remote control
Braille on the control

SAFETY

Battery emergency lowering device


FINISH

Painted in any RAL color
Brushed Stainless Steel



Orka 150 Stainless Steel

BELLOWS UNDER THE PLATFORM



3 lifting heights:

from 2010 to 3000 mm,
pit = 350 mm,


from 1010 to 2000 mm,
pit = 260 mm,

from 600 to 1000 mm,
pit = 170 mm,

Fixations: on ground floor, at the four corners of the below, and at the platform, fixations will be provide.

Platform size possible:
1100 x 1400 mm
(shaft 1300 x 1760 mm).
Gate opening = 950 mm.







“The only disability in life is a bad attitude”

Bringing back the spirit for life.

orkanda

www.orkanda.co.id

Jakarta

Ruko Graha Boulevard,
Jl. Raya Boulevard, RW.1, Klp. Gading Tim,
Kec. Klp. Gading, DKI Jakarta 14240

Surabaya

Jl. Bangka No.8-A, Gubeng,
Kec. Gubeng, Kota SBY, Jawa Timur 60271

Medan

Jl. Puri No.102 A Kota Matsum IV,
Medan, Sumatera Utara 20211

Makassar

Jl. Monginsidi No. 32d, RT.3,
Maricaya Baru, Kec. Makassar,
Sulawesi Selatan 90142

Bali

Pertokoan Soka,
Jl. Bypass Ngurah Rai No.18,
Tuban, Kec. Kuta,
Kabupaten Badung, Bali 80361



Orkanda lifts Indonesia



@orkandaliftindonesia



@orkanda.id



Orkanda Lift Indonesia



www.orkanda.co.id



(021) 22454705